

A shining example of weather
and wear resistance

RUBBOL® WF 3500

sikkens
WOOD COATINGS

Two pack top coat for
wooden elements like
windows, doors and
playgrounds

Passion for wood



RUBBOL® WF 3500: High protection, high quality

No need to sacrifice beauty, even where only the toughest coating is tough enough. RUBBOL® WF 3500 provides ultra-durable semi gloss and gloss finishes with unbeatable resistance to scratching, metal marking, weathering and dirt pickup. Vibrant colours maintain their appeal and wooden window frames, doors and playgrounds remain protected for exceptionally long periods. It is suitable for a wide range of substrates including hardwood and softwood as well as HDF-board and plywood.

The right gloss for each application



Doors

Most of today's homeowners and architects favour a subtle low sheen for doors. Use RUBBOL® WF 3500 semi gloss for a perfect eggshell finish that brings out the beauty of different colour shades. The ideal paint to protect and highlight exterior wooden elements such as HDF-board doors in modern architecture.



Windows


High-quality wooden window frames in fashionable colours enhance the beauty of homes and buildings. Choose semi gloss RUBBOL® WF 3500 to create a satiny eggshell sheen, while at the same time ensuring maximum wood protection. The less reflective finish is the perfect look and feel for all modern hardwood or softwood frames in any shade.



Playgrounds

A higher sheen is often desired in playground equipment and other outdoor elements like garden furniture. Bold-coloured plywood playground equipment takes on an especially appealing look, along with great durability and weather resistance, with a higher-gloss finish. Use glossy version of RUBBOL® WF 3500 for a winning and lasting sheen.

Product benefits by comparison



Comparable two pack products were extensively compared to RUBBOL® WF 3500.

RUBBOL® WF 3500
Competition A
Competition B



1 – bad
5 – perfect



Easy processing

RUBBOL® WF 3500 stands out for its excellent airless or air-assisted sprayability and filling properties. The highly effective hardener is required in small amounts only. Thanks to fast hardness development and very good blocking properties, the coating lets you stack window frames after a short drying period without risk of sticking.

Outstanding versatility

As an exceptionally robust outdoor coating, RUBBOL® WF 3500 is suitable for a wide array of applications and substrates in addition to wooden window frames. These include solid pine or Meranti objects like doorframes or plywood outdoor furniture as well as HDF-board elements like exterior doors.

AkzoNobel Wood Coatings Color System

Our new colour system provides you with a complete system: colours for interior and exterior water-borne and solvent-borne wood coatings. The AkzoNobel standard collection includes RAL, NCS, Sikkens 4041 and 5051, which allows us to offer a wide range of colours. In addition to this, we can combine these colours to create completely individual tones using the spectrophotometer and our software. Our quality control department is checking every batch of the bases and colourants to guarantee a very high reproducibility of colours.

Proven durability

In long standing tests, RUBBOL® WF 3500 has proven its resistance to weather conditions as extreme as arctic snow and ice, the glaring desert sun and tropical jungle humidity. In addition, the coating has stood up to punishing wear and tear as the top coat on plywood playground equipment. It also features high chemical resistance.



System structure: Dimensionally stable wooden components

Coating	Possible products	Product advantages	Application
Impregnation	CETOL® WV 880 BPD	Translucent single pack impregnation, deep penetration, transparent impregnation, protection against blue stain and rot fungi.	Dipping, flow coating, brushing machine
Primer	RUBBOL® WP 151	Opaque two pack primer, best isolation against discolouration of soft- and hardwood, high filling, good pore wetting.	Spray application Airmix/Airless
	RUBBOL® WP 181	Opaque single pack primer, fast drying, flexible, easy to sand, good adhesion.	Flow coating
	RUBBOL® WP 1900-02	Opaque single pack primer and mid coat, good run-off properties, wood moisture regulating, good pore wetting, high filling properties.	Dipping, flow coating
Mid coat	RUBBOL® WF 3500-03-30 or 70	Opaque, semi gloss and high gloss two pack top coat, high scratch resistance, good weather resistance, high chemical resistance.	Spray application Airmix/Airless
Top Coat	RUBBOL® WF 3500-03-30 or 70	Opaque, semi gloss and high gloss two pack top coat, high scratch resistance, good weather resistance, high chemical resistance.	Spray application Airmix/Airless

Tough enough for anything



RUBBOL® WF 3500-03 30 or 70*

Opaque two pack mid and top coat for highly stressed exterior wooden elements like windows, doors and playgrounds.



Delivery method: Water-borne



Tintable: Yes, with Aquaflex colourants

Type of binder: Acrylic



Application: Spray application Airmix/Airless

Hardener: WH 8500

Area of use: Semi stable and stable wooden constructions

* **New product numbering:** With our new numbering, which we are now successively introducing, you will receive more information at a glance, e.g. with RUBBOL® WF 3500-03-30 or 70: the 03 figure stands for application method (spray) and the 30 or 70 for the gloss level.

Colour shade

Base B00 neutral - Gloss 30 or 70 (colour shades made from 5051 colour concept, RAL and NCS)

Base B01 white - Gloss 30 or 70 (colour shades made from 5051 colour concept, RAL and NCS)

Packsize

2.5l, 10.8l , 1000l

2.5l, 10.8l , 1000l

sikkens
WOOD COATINGS

Passion for wood

AkzoNobel

www.akzonobel.com

AkzoNobel has a passion for paint. We're experts in the proud craft of making paints and coatings, setting the standard in color and protection since 1792. Our world class portfolio of brands – including Dulux, International, Sikkens and Interpon – is trusted by customers around the globe. Headquartered in the Netherlands, we are active in over 150 countries and employ around 34,500 talented people who are passionate about delivering the high-performance products and services our customers expect.

For more information please visit
www.akzonobel.com

Akzo Nobel Hilden GmbH
Düsseldorfer Straße 96–100
40721 Hilden
Germany
www.sikkens-wood-coatings.com

© 2019 Akzo Nobel N.V.
All rights reserved.